



Straight Earth Lead Ground Cord with Double Jack Socket

TECHNICAL DATASHEET



This cord allows users to easily insert two 4mm banana connectors while in use. Users can then connect multiple cords directly to the mat via the socket.

The head comes with a 10mm female snap which is connected via a 10ft long straight earth lead to a ring terminal.

This cord can be connected to all types of ESD matting and contains conductive wires within a non-conductive PU outer.



FEATURES

- Single ring terminal at one end with a double jack socket with a 10mm female snap at the other
- Suitable for use with all types of ESD Matting
- Length: 10ft
- Diameter of cord: 2.4 mm
- Resistance: 1M Ohm +/- 10%

MATERIAL

- Conductive wire
- Outer covered with non-conductive PU

PRODUCT CODE	DESCRIPTION	SIZE (ft)	NOTES
067-0037	Ring Terminal - Double Jack Socket with a 10mm Female Stud	10	Each

To request a quotation or for more information, please call +44 (0)1473 836200 email info@antistat.co.uk or visit www.antistat.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information mation and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2024 Antistat.