



Splice Tape with Shim

TECHNICAL DATASHEET



Splice tapes are used to join new reels to depleted reels in the SMT industry, to avoid downtime, and to increase efficiency. The adhesive used in our range of splice tape products combines – high adhesive strength with superior shear strength making it particularly suitable for a variety of splicing applications. Furthermore, the plastic liner, connector and backing material are ESD safe.



FEATURES

- High adhesive strength suitable for a variety of splicing applications
- Total Thickness: 2.2mil (0.055mm)
- Splice tape combined brass shim, resistant to corrosion and rust
- Plastic liner made from ESD safe material

SIZES



| PRODUCT CODE | DESCRIPTION | SIZE (mm) | NOTES |
|--------------|-----------------------|-----------|-------------|
| 029-1094 | Splice Tape with Shim | 8 | Pack of 500 |
| 029-1095 | Splice Tape with Shim | 12 | Pack of 500 |
| 029-1096 | Splice Tape with Shim | 16 | Pack of 500 |
| 029-1097 | Splice Tape with Shim | 24 | Pack of 250 |

To request a quotation or for more information, please call **+44 (0)1473 836200** email **info@antistat.co.uk** or visit **www.antistat.co.uk**

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information mation and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2024 Antistat.