

PRODUCT

ESD Lab Coat TECHNICAL DATASHEET

DESCRIPTION

ESD lab coats can help prevent damage to sensitive electronic components that are being assembled or packaged within a protected area.

Our ESD lab coat has been specially designed for comfort and to prevent antistatic charge build up.

STUD FASTENINGS

PRODUCT CODES





FEATURES

Long sleeve with turn down collar

- Stainless steel fasteners
- One top pocket and two lower pockets
- Yellow ESD logo on left chest pocket

PRODUCT CODE	DESCRIPTION	SIZE	QUANTITY
108-0186	ESD Lab Coat - White	Small	Each
108-0187	ESD Lab Coat - White	Medium	Each
108-0188	ESD Lab Coat - White	Large	Each
108-0189	ESD Lab Coat - White	X Large	Each
108-0190	ESD Lab Coat - White	XX Large	Each

To request a quotation or for more information, please call +44 (0)1473 836200 email info@antistat.co.uk or visit www.antistat.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2025 Antistat.



SPECIFICATIONS

SIZE	LENGTH (cm)	CHEST (cm) (Circumference)	SLEEVE (cm) (Hang shoulder +/- 2.5)	SHOULDER (cm) (Shoulder width +/- 2.5)
S	97	110	54	45
М	102	114	56	47
L	107	120	58	49
XL	112	124	60	51
XXL	117	128	62	53

FABRIC INFORMATION		
Material	65% polyester, 33% cotton and 2% conductive fibre	
Grid pattern	5mm grey grid	
Surface resistance	10 ⁶ - 10 ⁹ Ohms	
Fabric rupture strength	Warp N>450 Zonal N >380	

To request a quotation or for more information, please call +44 (0)1473 836200 email info@antistat.co.uk or visit www.antistat.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2025 Antistat.