

# **Contents**

The Fundamentals of a Cleanroom	
ISO levels within your cleanroom	3
Types of cleanroom	
Turnkey Cleanroom	3
Modular Cleanroom	4
Softwall Cleanroom	4
Hybrid Cleanroom	4
Mobile Cleanroom	4
Inflatable Clean Tent	4
Cleanroom ISO Ranges	4
What we offer	5

Cleanroom Hygiene	
Cleanroom flexibility	5
ISO levels depending on your Industry	6
Additional cleanroom features	
Air Shower	7
Transfer Hatch	7
Clean Hood	7


Our Range	
Cleanroom & Features Selection	8

# The Fundamentals of a Cleanroom

# ISO levels within your cleanroom

Depending on your sector, industry and needs, different ISO levels will be required to ensure the quality, reliability, and performance of products that require a pristine environment for manufacturing, testing, or research.

The ISO ranking works with ISO 9 being the least stringent of standards, where cleanroom measures are minimal, while ISO 1 holds the most stringent of standards, where contamination control is at its highest.



# Types of cleanroom

There are several different styles and types of cleanrooms - each have their own benefits and features, making them unique.

## Turnkey Cleanroom

These cleanrooms are heavy duty and seen as a more permanent solution. These cleanroom set ups are built to last.

#### Modular Cleanroom

Modular cleanrooms are fully manufactured off site, usually built of a metal framework and constructed on site. Because they are built on site, they can be easily expanded, moved and changed to the needs of the user.

## Softwall (Flexible Wall) Cleanroom

These cleanrooms use clear vinyl strip curtains which isolate the cleanroom from the outside environment, while also allowing for easy passage of materials and personnel in and out of the clean area.

## Hybrid Cleanroom

Hybrid cleanrooms are a mix of modular cleanrooms with either softwall or standard building walls. These are a cheaper solution to modular cleanrooms and speeds up the construction process.

#### Mobile Cleanroom

Mobile cleanrooms are constructed off site and can be brought to location fully built. They can either be standalone cabins or built within large vehicles such as lorries for full mobility.

## Inflatable Clean Tent

Intended for users that require temporary cleanroom facilities, clean tents are lightweight, low particulate and portable.

TYPE OF CLEANROOM	ISO RANGE
Turnkey Cleanroom	ISO 4
Modular Cleanroom	ISO 7
Softwall Cleanroom	ISO 6
Hybrid Cleanroom	ISO 7
Mobile Cleanroom	ISO 5
Inflatable Clean Tent	ISO 5

# What we offer:

At Integrity, we provide Turnkey, Modular and Softwall cleanrooms and Inflatable Clean Tents (as pictured).

As experts in the industry, we offer one of the most comprehensive ranges of cleanrooms on the market.

Our efficient cleanroom construction service means we can have your cleanroom fully operational within days.

# **Turnkey Cleanroom**



### Modular Cleanroom



Softwall Cleanroom



Inflatable Clean Tent



# **Choosing your Cleanroom Setup**

# **Cleanroom Flexibility**

When it comes to cleanrooms, it is easy to upgrade and downgrade between ISO levels meaning you can keep your clean area performing at a premium rate.

The flexibility of altering your cleanroom can be as easy as adding additional environmental controls such as lights, ESD Antistatic, temperature, humidity and particulates (such as High Efficiency Particulate Air (HEPA) filters or Ultra Low Penetration Air (ULPA) filters).

# ISO levels depending on your Industry

Below is a basic guide to recommended cleanroom setups by industry. However, speaking to a professional is important as the classification of cleanroom and the controls required is dependent on specific needs.

INDUSTRY	ISO RANGE	AIRFLOW RATE	CONTROLS	ADDITIONAL FEATURES
Aerospace	ISO 5	240	Temp, Humidity	No outgas materials
Automotive	ISO 8	30	HVAC*	Robust
Defence	ISO 6	150	HVAC	ESD Safe
Electronics	ISO 7	90	HVAC	ESD Safe
Energy & Nuclear	ISO 7	90	HVAC	Soft side walls for cable connection
Food	ISO 8	30	HVAC	N/A
Healthcare	ISO 5	240	Temp, Humidity, HVAC	Laminar Flow
Pharmaceutical	ISO 6	150	Temp, Humidity, HVAC	Laminar Flow
Photolithography	ISO 6	150	Light	N/A**
Semi-conductor	ISO 5	240	Temp, Humidity, HVAC	ESD Safe

<sup>\*</sup>HVAC - Heating, ventilation, and air conditioning (HVAC) is the use of various technologies to control the temperature, humidity, and purity.

<sup>\*\*</sup>Whilst yellow (amber) lights were originally seen as a mandatory feature within Photolithography rooms, due to the introduction of LED lights in the cleanroom, they are no longer compulsory and are down to user preference.

## **Additional Cleanroom Features**

Some additional features installed within a cleanroom can increase convenience and even increase productivity.

These features are usually added when first building the cleanroom, however, depending on size of your cleanroom and surrounding areas, can be added on at a later date.

#### Air Shower

Air showers are used to remove the dust particles or particulate from cleanroom personnel. It is located at the main entrance of the cleanroom.

## Transfer Hatch

Using a transfer hatch (or a pass through) to pass materials into, out of, or between sections of a cleanroom helps to limit traffic and maintain appropriate pressure in the cleanroom as well as reducing potential for contamination.

#### Clean Hood

The clean hood laminar flow booth provides a bench top, particle-free working environment for your process.

### Air Shower



Transfer Hatch



Clean Hood




# **Our Range**

## Cleanrooms

Integrity Portable Cleanroom Tent\*



Integrity Modular Cleanroom\*\*



- \* Three sizes available.
- $^{**}$ Photo currently showing a 3 x 2 cleanroom. More sizes available on website.

# **Cleanroom Features**

### Transfer Hatch



# **Laminar Flow**

## Integrity Clean Hood





Follow the QR code to the left for all cleanrooms available on our website.

Call one of our ESD experts: +44 1473 836205

Notes:	



### **ISO 9001 QUALITY ASSURED**

We are focused on meeting our customer's expectations and delivering exceptional customer satisfaction.

#### **CUSTOMER FOCUSED APPROACH**

With over 35 years' experience, our service culture is the very core of our customer's success.

#### STANDARD OF EXCELLENCE

From beginning to end our team of knowledgeable experts are here to help.

### **ADDRESS**

Integrity House, Easlea Road, Bury St. Edmunds, Suffolk, IP32 7BY UK

#### **CONTACT US**

+44 (0)1473 836 205 | info@integritycleanroom.co.uk | <u>www.integritycleanroom.co.uk</u> +44 (0)1473 836 200 | info@antistat.co.uk | <u>www.antistat.co.uk</u>

Ant Group comprises of Integrity and Antistat, both of which are trading divisions of ESD Control Centre Ltd. Registered No. 2526954. Registered Address: Integrity House, Easlea Road, Bury St Edmunds, Suffolk IP32 7BY.

© Copyright 2024 Ant Group Limited. Permission granted to reproduce for internal use only. Commercial copying, hiring, lending is prohibited.

Updated January 2024









